

APPLICATION FOR UNITED STATES LETTERS PATENT

FOR

**Multi-Part Looked-Up Table Fields
and
Its Use in Data Processing Operations Involving Multiple Tables of a
Relational Database**

Inventor(s):
Matthew A. Bellew

Prepared by:
COLUMBIA IP LAW GROUP, PC

"Express Mail" label number EL910785501US

Multi-Part Looked-Up Table Fields and Its Use to in Data Processing
Operations Involving Multiple Tables of a Relational Database

5 BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to the field of data processing. More specifically, the present invention relates to data processing techniques associated with data processing operations involving multiple tables of a relational database.

2. Background Information

In the course of the last two to three decades, relational database has arguably become the most widely used database model in database management. Along with the growing popularity of relational databases, the Structured Query Language (SQL) has become an indispensable tool for accessing data stored in tables of relational databases.

However, as those skilled in the art would appreciate, virtually all data accesses of any meaningful application would require access and processing of data resided in multiple tables. Such accesses and processing require the employment of the JOIN clause in a SQL statement (such as a SELECT, an INSERT, an UPDATE and a DELETE statement), joining tables of interest together. Experience has shown that except for professional programmers experienced with SQL, few users fully understand or are totally comfortable with joining tables. Unfortunately, the number of users having a need to access and process data

dispersed in multiple tables in an unplanned manner far out number those who are skilled to comfortably do so.

5 Recently, advances in integrated circuit, microprocessor, networking and communication technologies, have resulted in the popularization of the World Wide Web (WWW) and Web based applications, making available even a greater reservoir of data for access. In turn, the knowledge or skill gap problem discussed earlier is further magnified.

10 Accordingly, an improved approach to accessing and processing data dispersed in multiple tables of relational databases, requiring lower data processing skill, is desired.

SUMMARY OF THE INVENTION

In accordance with a first aspect, a software component is equipped to
5 identify looked-up table fields in a data processing statement, and automatically
includes with a SQL statement one or more appropriate JOIN clauses joining one or
more target tables from which the table fields are to be looked up with a basis table.
The SQL statement may e.g. be an INSERT, a SELECT, an UPDATE and a
DELETE statement.

10 In one embodiment, the looked-up table fields are expressed in a multi-part
form comprising a first part corresponding to a look-up table field, and a second part
corresponding to a looked-up table field, concatenated to the first part using a
predetermined special character.

15 In accordance with a second aspect, a software component is equipped to
automatically expand table fields available for inclusion in a data processing
operation to include table fields of a target table of a look-up table field, in response
to the selection of the look-up table field.

20 In one embodiment, the second aspect is practiced in conjunction with the
automatic inclusion of appropriate JOIN clauses to a SQL statement of the first
aspect.

BRIEF DESCRIPTION OF DRAWINGS

The present invention will be described by way of exemplary embodiments,
5 but not limitations, illustrated in the accompanying drawings in which like references
denote similar elements, and in which:

Figure 1 illustrates an overview of the present invention on the context of an
application generator, in accordance with one embodiment;

Figure 2 illustrates the concepts of look-up field and looked-up field, with the
10 looked-up field referenced using the multi-part form of the present invention;

Figure 3 illustrates the operational flow of the relevant aspects of the SQL
generator of **Fig. 1**, incorporated with the support for the multi-part looked-up field of
the present invention, in accordance with one embodiment;

Figures 4a-4b illustrate an example user interface of an example data
15 processing operation, utilizing the multi-part looked-up field of the present invention,
in accordance with one example application;

Figure 5 illustrates the operational flow of the relevant aspects of the input
component of **Fig. 1** in support of the user input interface of **Fig. 4a-4b**, in
accordance with one embodiment; and

Figure 6 illustrates an internal component view of a computer system
20 suitable for use to practice the present invention, in accordance with one
embodiment.

DETAILED DESCRIPTION OF THE INVENTION

The present invention includes a multi-part format for specifying a looked-up
5 table field, and software components equipped with logic in support of the looked-up
table field, making it easier for a less skillful user to access and process, or generate
applications to access and process data dispersed in multiple tables of a relational
database.

For ease of understanding, the present invention will be primarily described in
10 the context of an application generator, referencing the SQL SELECT statement.
However, the present invention is not so limited, and may be practiced with a number
of other SQL statements, such as the INSERT, UPDATE or DELETE statement, and
in a variety of other contexts, e.g. a database query facility. Further, in the description
to follow, various aspects of the present invention will be described, specific numbers,
15 materials and configurations will be set forth. However, the present invention may be
practiced with only some or all aspects, and/or without some of these specific details.
In other instances, well-known features are omitted or simplified in order not to
obscure the present invention.

The description will be presented in terms of operations performed by a
20 processor based device, using terms such as statements, tables, fields, determining,
identifying, generating, and the like, consistent with the manner commonly employed
by those skilled in the art to convey the substance of their work to others skilled in the
art. As well understood by those skilled in the art, the quantities take the form of
electrical, magnetic, or optical signals capable of being stored, transferred, combined,
25 and otherwise manipulated through mechanical, electrical and/or optical components
of the processor based device. Moreover, the term processor includes

microprocessors, micro-controllers, digital signal processors, and the like, that are standalone, adjunct or embedded.

Various operations will be described as multiple discrete steps in turn, in a manner that is most helpful in understanding the present invention, however, the order of description should not be construed as to imply that these operations are necessarily order dependent. In particular, these operations need not be performed in the order of presentation.

The description repeatedly uses the phrase "in one embodiment", which ordinarily does not refer to the same embodiment, although it may. The terms "comprising", "including", "having", and the like, as used in the present application, are synonymous.

Overview

Referring now to **Figure 1**, wherein a block diagram illustrating an overview of the present invention in the context of an application generator incorporated with the teachings of the present invention, in accordance with one embodiment, is shown. As illustrated, application generator **102** includes in particular input component **104** associated with a data processing operation, and SQL statement generator **106**. In accordance with inputs received from an application developer user, application generator **102** generates applications **108**. Included among applications **108** are SQL statements **110**. SQL statements **110** include Create statements for use by applications **108** to create various tables **116** having a plurality of table fields (or simply fields) to store data, inside relational database **114**, through relational database management system **112**. SQL statements **110** also include SELECT statements for use by applications **108** to access created tables **116** for the stored data of the various fields (through relational database management system **112**). As

needed, SQL statements **110** may also include INSERT, UPDATE, DELETE and other statements.

As will be described in more details below, in accordance with a first aspect of the present invention, SQL statement generator **106** is advantageously equipped to support looked-up table fields, expressed in the multi-part form of the present invention. The support includes in particular the automatic generation of the appropriate JOIN clauses joining target tables (from which fields are to be looked up) to the basis table (comprising at least one of the look-up fields and typically, though not necessarily, other selected fields).

As will be also described in more details below, in accordance with a second aspect of the present invention, input component **104** of the data processing operation is advantageously equipped to present fields of a table for selection by an application developer user for inclusion in the data processing operation. Further, input component **104** is advantageously equipped to expand the list of fields available for selection to include fields of a target table, if a selected field has been previously defined to be a look-up field with the aforementioned target table.

Data processing operation may be any data processing operation known in art. An example of a data processing operation is report generation. Another example of a data processing operation is execution of a series of processing operations in the form of a script file. Accordingly, input component **104**, may be a component of a report generator, a component of a script editor, or other software components of the like.

Further, in one embodiment, the second aspect is practiced in conjunction with the earlier described first aspect. That is, upon assisted an application developer user in selecting the fields, including looked-up fields, for use in a data processing

operation, SQL statements, such as SELECT, INSERT, UPDATE and DELETE statements, with appropriate JOIN clauses are generated.

Accordingly, the SQL knowledge required of an application developer user of application generator **102**, in particular, in the topic area of table joining, is advantageously reduced, thereby enhancing the usability of generator **102**, as well as the productivity and experience of the application developer user.

Except for the teachings of the present invention incorporated with input generator **104** and SQL statement generator **106**, application generator **102** represents a broad range of application generators known in the art, including in particular, known web application generators, e.g. the web application development facilities offered by Westside, Inc. of Seattle, WA, assignee of the present invention.

Similarly, except of the fact that applications **108** being the beneficiary of the present invention, i.e. having selected ones of their SQL statements with their appropriate JOIN clauses automatically generated, applications **108**, relational database management system **112** and relational databases **114** all represent a wide range of these elements known in the art. In particular, relational database management system **112** may e.g. be the SQL Server offered by Microsoft, Inc. of Redmond, WA, Oracle Database Management System offered by Oracle Inc of Redwood City, CA, Database2 (DB2) offered by IBM of Armonk, N.Y. or other relational database management systems (RDBMS) of the like.

Multi-Part Looked-Up Field

Turning now to **Figure 2**, wherein the multi-part looked-up table field of the present invention, and the relationship between the various parts to the basis and target tables, in accordance with one embodiment, is illustrated. As shown, for the embodiment, the multi-part looked-up table field of the present invention is expressed

in two parts, a first part **222** corresponding to the look-up field in a basis table (also referred to as a foreign key of the table), and a second part corresponding to the looked-up field **224** in a target table (also referred to as a primary key of the table), concatenated to first part **222** using a special character **226** (e.g. ":"). For examples,

- 1) a "customer description" field (to be looked up) may be expressed under the present invention in the form of customer_id:customer_description,
- 2) a "product description" field (to be looked up) may be expressed under the present invention in the form of product_id:product_description, or

an "employee name" field (to be looked up) may be expressed under the present invention in the form of employee_id:employee_name. As alluded to earlier and illustrated, the corresponding look-up field **204** (or foreign key) is a member of a "basis" table **202**, whereas the corresponding looked-up field **214** (or primary key) is a member of a "target" table **204**. Of course, each table **202** or **204** may comprise other fields **206** and **216**.

In alternate embodiments, other conventions, such as a convention involving more than two parts, may be practiced. Further, the "conjunction" may be other special characters, such as "~", "!", "@", "#", "\$", "%", "^", "&", "*", "|", "<", ">", or ".", using selected combinations of multiple ones of these special characters, e.g. "<>", or even non-special characters.

In one embodiment, multiple conjunctions are employed, with one conjunction, such as "." denoting an Outer JOIN, and another conjunction such as "::" denoting an Inner JOIN. In other embodiments, additional conjunction denoting other types of joins, such as a Union JOIN may also be practiced.

Further, in other embodiments, the multi-part looked-up table field of the present invention may be expressed in more than two parts, e.g. three parts, with a first part corresponding to the look-up field in a basis table, a second part

corresponding to a first looked-up field in a first target table (which in turn is used as look-up field), and a third part corresponding to a second looked-up field in a second target table. As before, the different parts are concatenated to each other using a special character (e.g. “:”). For example, product_id:category_id:category_name, specifying the looked-up field “category_name”, to be looked up using a look-up field “category_id”, which itself is looked up using a look-up field “product_id”.

SQL Statement Generation

Figure 3 illustrates the operation flow of the relevant aspects of SQL statement generator **106** of **Fig. 1**, in the context of a data access request, in accordance with one embodiment. The embodiment assumes SQL statement generator **106** receives a data access request statement in a non-SQL form as input. In one embodiment, the data access request statement has the syntax of

Table Select {field name [, field name [...]]}

where field name may be a conventional field name (e.g. user_id) or a multi-part looked_up field name of the present invention (e.g. user_id:username).

However, as alluded to earlier, the present invention is not so limited, in other embodiments, the present invention may also be practiced with other SQL statements, such as an INSERT, an UPDATE and a DELETE statement, as well as other “request” statement syntaxes may also be practiced. In yet other embodiments, the substance of the request may also be communicated to SQL statement generator **106** in a non-statement form, e.g. through a function call or other techniques of parameter passing.

As illustrated in **Fig. 3**, for the embodiment, the relevant operation flow starts at operation **302**, where generator **106** parses the input statement, e.g. to tokenize

the elements in the input statement. Thereafter, for the embodiment, generator **106** identifies table field or fields in the input statement, operation **304**. Further, generator **106** identifies whether the fields are “standard” (i.e. non-looked-up) table field or fields or the fields are looked-up fields, operation **306**. In one embodiment, the

5 determination is made based on a predetermined syntax of the multi-part looked-up field. At blocks **308** and **310**, generator **106** identifies the table (also referred to earlier as the basis table) of which the “standard” or non-looked-up field or fields are members, and the tables (also referred to earlier as the target tables) from which the specified looked-up fields are to be looked up. In various embodiments, generator

10 **106** identifies the table membership by accessing a data dictionary (not shown). In some of these embodiments, generator **106** maintains at least a work copy of the data dictionary.

Thereafter, upon identifying the respective tables of which the standard (non-looked-up) and looked-up fields are members, as described earlier, generator **106**

15 automatically generates a functional equivalent SQL SELECT statement, enumerating the fields to be selected, a From clause, the basis table, and where applicable, the JOIN clauses and the target tables, as well as the associated ON clauses including the condition governing the joining of the rows of the joined tables, block **312**.

20 For examples,

(a) for the input statement Table Select {student_id, class_id:class_name, teacher_id:teacher_name, }, generator **106** generates SELECT enrollment.student_id, class.class_name, teacher.teacher_name FROM enrollment LEFT OUTER JOIN class ON enrollment.class_id =

25 class.class_id LEFT OUTER JOIN teacher ON enrollment.teacher_id = teacher.teacher_id;

(b) for the input statement Table Select {order_no, product_id:product_name, product_id:category_id:category_name}, generator **106** generates SELECT order_items.order_no, products.product_name, categories.category_name FROM (order_items LEFT OUTER JOIN products ON order_items.product_id = products.product_id) LEFT OUTER JOIN categories ON products.category_id = categories.category_id (“order_items”, “products” and “categories” are the table names); and

(c) for the input statement Table Select {task_name, assignedto:user_name, openedby:user_name} generator **106** generates SELECT tasks.task_name, users_1.user_name, users_2.user_name FROM tasks LEFT OUTER JOIN users users_1 ON tasks.assignedto = users_1.user_id LEFT OUTER JOIN users users_2 ON tasks.openedby = users_2.user_id.

Field Selection

Figures 4a-4b illustrate an example user interface for selecting fields for a data processing operation, including usage of the multi-part looked-up field of the present invention, in accordance with one embodiment. The embodiment assumes in the course of table definition, a field may be designated as a look-up field, and each look-up field has a target table designated. Any one of a number of user interfaces and supporting logic may be practiced to facilitate such definition. The subject matter is beyond the scope of the present invention, and since it is well within the ability of those skilled in the art, such definitional facilities will not be described.

Figure 4a illustrates a first state **402a** of this user interface, wherein for a list **404a** of eligible table fields **406a** is first initially presented for an application developer user to select for inclusion in a data processing operation, which as earlier described, may e.g. be a report generation operation. Fields **406a** may include in particular

fields that are pre-defined look-up field **408a**. For the embodiments, selected fields **416a** are “echoed” and displayed in area **414a**.

Figure 4b illustrates a second state **402b** of this user interface, wherein upon selection of one of the look-up field **408a**, the list **404b** of eligible table fields **406b** is expanded to include table fields of the designated target table of the selected look-up field. For the embodiment, the added table fields to be looked up are advantageously displayed using the multi-part looked-up field name of the present invention, e.g. look-up_field:lookedup_field. For the embodiment, selected fields **416b** remained “echoed” and displayed in area **414b**.

Figure 5 illustrates the operational flow of the relevant aspect of input component **104**, in accordance with one embodiment. As illustrated and alluded to earlier, initially at block **502**, input component **104** presents a first list of fields for selection by an application developer user for inclusion in a data processing operation. Then input component **104** awaits for either a user selection of one of the listed fields or an indication of termination of operation, blocks **504** and **512**.

Upon receipt of a user selection, yes branch of block **504**, input component **104** determines if the selected field is a defined look-up field, block **506**. If the selected field is determined to be a defined look-up field, input component **104** retrieves the fields of the pre-designated target table, add the retrieved fields to the list of fields available for user selection, block **510**. Otherwise, input component **104** simply notes the field selected, and the table of which the selected field is member, block **508**.

In one embodiment, the collected information is subsequent provided to SQL generator **106** to automatically generate a functional equivalent SQL SELECT statement, including in particular, the appropriate JOIN and ON clauses.

In one embodiment, the collected information is provided to SQL generator **106** in the syntax of the earlier described Table Select statement. In another embodiment, the collected information is provided to SQL generator **106** through a function call.

5

Example Computer System

Figure 6 illustrates an example computer system suitable for use to practice the present invention in accordance with one embodiment. As shown, computer system **600** includes one or more processors **602** and system memory **604**.

10 Additionally, computer system **600** includes mass storage devices **606** (such as diskette, hard drive, CDROM and so forth), input/output devices **608** (such as keyboard, cursor control and so forth) and communication interfaces **610** (such as network interface cards, modems and so forth). The elements are coupled to each other via system bus **612**, which represents one or more buses. In the case of

15 multiple buses, they are bridged by one or more bus bridges (not shown). Each of these elements performs its conventional functions known in the art. In particular, system memory **604** and mass storage **606** are employed to store a working copy and a permanent copy of the programming instructions implementing the software components (e.g. input component **104** and/or SQL statement generator **106**)

20 incorporated with the teachings of the present invention. The permanent copy of the programming instructions may be loaded into mass storage **606** in the factory, or in the field, as described earlier, through a distribution medium (not shown) or through communication interface **610** (from a distribution server (not shown). The constitution of these elements **602-612** are known, and accordingly will not be

25 further described.

Conclusion and Epilog

Thus, an improved method and apparatus for accessing and processing data disposed in multiple tables of a relational database has been described. While the present invention has been described in terms of the above illustrated embodiments, those skilled in the art will recognize that the invention is not limited to the embodiments described. The present invention can be practiced with modification and alteration within the spirit and scope of the appended claims. For example, the multi-part looked-up field name of the present invention may be used to improve the ease of use of other SQL statements and/or clauses, such as in addition to the aforementioned INSERT, UPDATE and DELETE statements, the WHERE, GROUP BY and SORT clauses. Thus, the description is to be regarded as illustrative instead of restrictive on the present invention.